



| SIZE | H(300PSI) | |
|------|-----------|------|
| | MIN. | MAX. |
| 2.5" | 775 | 1755 |
| 3" | 870 | 1800 |
| 4" | 825 | 1755 |
| 5" | 890 | 1820 |
| 6" | 935 | 1865 |
| 8" | 1025 | 1955 |
| 10" | 1108 | 2038 |
| 12" | 1208 | 2138 |

| | | | | |
|----|-------------------|-----|------------------|------------------------|
| 36 | Flat head bolt | n | Steel | ASTM A307 B |
| 35 | Platen | 1 | DI | ASTM A536 65-45-12 |
| 34 | Connecting flange | 1 | DI | ASTM A536 65-45-12 |
| 33 | Flat gasket | 4 | Steel | |
| 32 | Nut | 4 | Steel | |
| 31 | Bolt | 4 | Steel | ASTM A307 B |
| 30 | Big flat gasket | 2 | Steel | |
| 29 | Nut | 2 | Steel | |
| 28 | Stud bolt | 2 | Steel | ASTM A307 B |
| 27 | Bolt | 1 | Steel | ASTM A307 B |
| 26 | Bolt | 2 | Steel galvanized | 3/4"-10 |
| 25 | Bolt | 2 | Steel galvanized | 3/4"-10 |
| 24 | Shell body | 1 | CI | ASTM A126 CLASS B |
| 23 | Lever | 1 | DI | ASTM A536 65-45-12 |
| 22 | Driving rod | 1 | CI | ASTM A126 CLASS B |
| 21 | Indicator cap | 1 | CI | ASTM A126 CLASS B |
| 20 | Sight hole gland | 2 | Steel | |
| 19 | Sight hole gasket | 2 | NBR | NBR |
| 18 | Sight hole plate | 2 | Organic glass | |
| 17 | Plug | 1 | Steel galvanized | G $\frac{1}{2}$ " |
| 16 | Indicator | 4 | CI | ASTM A126 CLASS B |
| 15 | Connecting pipe | 1 | Steel | ϕ 120x6x1210 |
| 14 | Flange | 1 | CI | ASTM A126 CLASS B |
| 13 | Connecting rod | 1 | Steel | 25x25x2500 |
| 12 | Cotter pin | 1 | Steel | |
| 11 | Joint | 1 | CI | ASTM A126 CLASS B |
| 10 | Small flat gasket | 1 | Steel | |
| 09 | Rotating block | 1 | DI | ASTM A536 65-45-12 |
| 08 | O-ring | 3 | NBR | NBR |
| 07 | Retainer ring | 1 | Cast Bronze | ASTM B62 |
| 06 | Bonnet | 1 | DI | ASTM A536 65-45-12 |
| 05 | Stem | 1 | Steel | SS420 |
| 04 | gasket | 1 | NBR | NBR |
| 03 | Nut | 1 | Cast Bronze | ASTM B62 |
| 02 | Disc | 1 | DI+EPDM | ASTM A536 65-45-12 |
| 01 | Body | 1 | DI | ASTM A536 65-45-12 |
| No | Name | Qty | Material | Material specification |

| TOLLERANZA / TOLERANCES | INDICE | NATURA DELLA MODIFICA | DATA | FIRMA |
|---|--|------------------------------------|------|-------|
| LUNGHEZZA ANGOLI SMISURI RAGGI LENGTH ANGLES BEVELS RADIUS UNI - ISO 27168 2x FORI / HOLES ALBERI / SHAFTS H13 SCALA / SCALE MATERIALE / MATERIAL H13 / DUREZZA / HARDNESS PESO / WEIGHT RESISTENZA / STRENGTH TRATTAMENTO/TREATMENT CODICE / CODE dis-Art 402_VERTICALE Rev.3 | DENOMINAZIONE / DENOMINATION POST INDICATOR VERTICALE MOD. NIAGARA | VERNICO/COMPLETAVINA 05/06/2020 | | |

ZIGGIOTTO & C.
RONCO ALL'ADIGE
VERONA - ITALIA

A termini di legge e senza firma, in delegazione e in riproduzione senza autorizzazione scritta della ZIGGIOTTO & C.